



MAGNUM (MG) – kategorie E

Cena na poptávku / *Price on request*



Váha (g/m ²) – Weight (g/m ²)	EN 12127	± 5 %	715
Výška (cm) – Width (cm)	-----	± 2 %	140
Otěruvzdornost (cykly) Abrasion resistance (rubs)	ISO 5470-2 (Martindale)		200.000
Barevná stálost na světle (modrá stupnice) Light fastness (blue scale)	ISO 105-B02 (Xenotest)		7
Stálost barvy při otěru (stupnice šedé) Fastness to rubbing (grey scale)	ISO 105-X12 (Crockmeter)		5
Složení – Composition	88% PVC / 7% PES / 4% CO / 1% PU		
Všechny certifikáty – Certificates available			
1 IM - VNI 9175 EN 1021-1,2 BS 5852 1 CAL TB 117:2013 IMO FTP 307 Part 8 ÖNOM B 3825 ISO 22196 BS 5852 Crib 5 DIN 4102 B1 NFP 92 507 M1 available at antares.cz			
Čištění a údržba potahů – Cleaning and washing			
Maintenance in healthcare - routine maintenance do not expose the material to direct sunlight. Late removal of dirt reduces cleaning success. The shade and pattern of the fabric may differ slightly from the swatch for technological reasons. MAGNUM MATERIAL SHEET tested maintenance with chlorine-based disinfectants (Medicarine 1 % solutions, HAZ 5 % to 1%, Tristel disinfectant spray, cleaning wipes containing isopropanol 70%). A minor change in color and hardness of the material may occur. Dirt can be wiped off with a soft cloth soaked in a neutral soapy solution. Absorb liquid dirt with a paper towel. Do not use chemical solvents.			

MAGNUM (MG) – kategorie E

Dostupné v 62 barvách / *Available in 62 colors*

							
MG001	MG002	MG003	MG004	MG005	MG006	MG100	MG101
							
MG102	MG103	MG105	MG111	MG200	MG300	MG301	MG302
							
MG304	MG307	MG310	MG313	MG315	MG400	MG401	MG402
							
MG403	MG404	MG405	MG406	MG407	MG500	MG501	MG503
							
MG508	MG600	MG601	MG602	MG603	MG604	MG606	MG607

MAGNUM (MG) – kategorie E

							
MG700	MG701	MG702	MG703	MG704	MG706	MG707	MG708
							
MG800	MG801	MG802	MG803	MG804	MG805	MG806	MG807
							
MG808	MG809	MG810	MG900	MG901	MG902		

